

## **Product Handling Information Sheet**

## Polystone® MR black

Company

Name/Address: Röchling Engineering Plastics SE & Co. KG

Röchlingstr. 1

D-49733 Haren/Germany

Tel.: +49 5934 701-0, Fax -300 info@roechling-plastics.com

www.roechling.com

**Product details** 

Product/Article: Technical semi-finished product or machined part

PE-UHMW / PE 1000 Abbreviated terms: Material characterisation: Semi crystalline plastic

Polyethylene, possibly Olefin-Copolymerisate, Main components:

Stabiliser, Additives

Components subject to labelling: None Classification according to REACh: Article

Notes:

3. Product characteristics

Form/State: Firm Colour: **Black** 

Odour: Nearly odourless

0,92 - 0,95 g/cm3 (ISO 1183) Density:

Melting range: 100°C - 140°C (DSC)

Glass transition temperature:

Thermal decomposition: > 390°C

Flash point: ≈ 340°C

Ignition temperature: > 350°C

Notes:

06.03.2009 Creation date: Revision date: 12.02.2015-Name Print date:

Index: 02 06.07.2015 Page: 1 of 3



# **Product Handling Information Sheet**

## Polystone® MR black

1	Dan	nar	warı	nings
₹.	Dai	IGEL	waii	IIIIY3

Special risks for mankind and the

environment:

None

Notes:

**Handling and Storage** 

Product can be worked with commercially machines Handling:

and tools.

Before machining the product should have room temperature and/or to be stored for min. 24h under

normal climatic conditions

Storage: Horizontally, dry, protected against frost and climatic

influences

Safety measures:

Notes:

**Transport** 

Transport: Non dangerous goods according to the transport

regulations

Secure against slipping

Notes:

7. Fire - fighting measures

Water, foam, carbon dioxide (CO<sub>2</sub>), dry powder Suitable extinguishing agents:

extinguishing agents

Potential combustion products: CO, CO<sub>2</sub>

Complete protection equipment for fire-brigade Necessary protection equipment:

Use self-contained air respirators during strong smoke

and steam development

Notes: Molten product has to be cooled with water. Fire

residues must be collected and disposed of according

to the local instructions

Creation date: 06.03.2009 Revision date: 12.02.2015-Name Print date:

Index: 06.07.2015 Page: 2 of 3



## **Product Handling Information Sheet**

### Polystone® MR black

**Disposal references** 

Recyclability: Check possibility of recycling

EC Waste Catalogue: The product is classified in accordance with the

European-Waste Catalogue (EWC) as "Not

dangerous"

EC Waste Code: 120105 Plastics shavings and turnings

> 200139 Plastics of Separately collected fractions

Waste removal: Has to be conveyed to a suitable dumping site or

combustion plant in accordance with local regulations

Notes:

References to marking, guidelines and regulations

Marking in accordance with

EEC-guidelines:

No labelling required

Other guidelines:

Notes:

#### 10. Information about REACh

In accordance with the EU directive 1907/2006/EC (REACh), article 3, no. 3, our products are clearly defined as articles not subject to registration.

The European directive regarding chemicals no. 1907/2006 (REACh) enforced on 1st June 2007 stipulates Material Safety Data Sheets (MSDS) only for dangerous substances and preparations. Our products do not fall under this scope of REACh.

### 11. Other information

The information in this document are based on our today's knowledge and represent no affirmation of characteristics. Existing laws and regulations are to be observed by the user of our product within his own responsibility.

Creation date: 06.03.2009 Revision date: 12.02.2015-Name Print date:

Index: 06.07.2015 Page: 3 of 3